BILL NO. S-80-12-/6

SPECIAL ORDINANCE NO. S-167-80

3

4 5

1

2

8 9

10 11

12 13

14 1.5

16 17

18 19

20 21

22

23 24 2.5

26

27 28

29 30

31 32 AN ORDINANCE approving City Utilities Purchase Order No. 9907 with General Truck Sales Corp. for a vehicle for the Water Pollution Control Plant.

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That City Utilities Purchase Order No. 9907 dated December 1, 1980, between the City of Fort Wayne, by and through the City Utilities Purchasing Agent and the Board of Public Works and General Truck Sales Corp. for:

One ten cubic yard dump truck

at a cost of \$32,467.00, all as more particularly set forth in said Purchase Order, which is on file in the Office of the Department of Purchasing and is by reference incorporated herein and made a part hereof, be and the same is in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be effective upon passage and approval by the Mayor.

APPROVED AS TO FORM AND LEGALITY DECEMBER 5, 1980.

Associate City Attorney

-					**	
Read the fire seconded by by title and referr Plan Commission for due legal notice, a Endiana, on		ull and o, and d ommittee tion) and il Chambe, the		101 2022	econd time and the City ala after ag, Fort Wayne day of M.,E.S.T.	,
DATE: 12-	-9-80		CHARLES W. V	VESTERMAN	tulerure	u-
Read the thir seconded by PASSED	d time in fr	ull and o	n motion by, and duly acowing vote:	dopted, pla	ced on its	
	AYES	NAYS	ABSTAINED	ABSENT	TO-WIT:	
TOTAL VOTES	1					
BURNS						
EISBART						
GiaQUINTA	X					
NUCROLS			-			
SCHMIDT, D.		**********				
SCHMIDI, V.						
SCHOMBURG					-	
STIER	_<		*	-		
TALARICO						
DATE:	2-23-80		CHARLES W.	W. Ale	elerur an	_
Passed and ad			Council of th	ne City of		
Indiana, as ( <del>ZONING</del>	4			SPECIAL		,
(APPROPRIATION) ORD				1-/6/-		
on the 232	, de		consed	_, 1980	· 1	
Churles W. W	Tulisma		(SEAL)  Winan  PRESIDING OF	I. Sep	midt	
	N - CITY CLI					
Presented by the 2 4 th						
10:00 o'cloc			2702, 1,0	, at the	nour or	
70.01	K	_	CHARLES W. V	LO A	CITY CLERK	سرد
Approved and	signed by me				_day of Dayer	0.
19 80 , at the hou					maler	14-6-6
specifical formation of the second				1) 1		
			WINFIELD C.	MOSES TR		
			MAYOR			

BILL NO
REPORT OF THE COMMITTEE ON CITY UTILITIES
WE, YOUR COMMITTEE ON CITY UTILITIES TO WHOM WAS REFERRED AN
ORDINANCE approving City Utilities Purchase Order No. 9907
with General Truck Sales Corp. for a vehicle for the
Water Pollution Control Plant
HAVE HAD SAID ORDINANCE UNDER CONSIDERATION AND BEG LEAVE TO REPORT
BACK TO THE COMMON COUNCIL THAT SAID ORDINANCE PASS.
PAUL M. BURNS, CHAIRMAN
TAGE A. BORNO, CHAIRMAN
BEN EISBART, VICE CHAIRMAN
A Miles
JOHN NUCKOLS John Auckold
MARK GIAQUINTA Mark E. Gu China
ROY SCHOMBURG Kyl School

DATE 10/9/00 CHARLES W. WESTERMAN, CITY CLERK

Tabellation of Bld			
Bid Reference No.: 586-C	1 dump truck		
Closing Date 11-3-80		*	4
Aller County Motors	1981 ALLT 8000	( in a line of a )	
2300 W. Jefferson Fort Wayne IN 46804	\$37.677.00	( dump bady)	
SP/ OK nc/ox	. "	,	×
Hefner Chevrolet	1981 mal 675064		
500 East State Fort Wayne IN 46805	\$ 33,324.00		
SPlace nelax	1981 F - 1954		
International Harvester 333 S. Clinton Street	37.512.98	"	
Fort Wayne IN 46802	21,312.98	* 0.0	* •
Ernst Truck Equipment		-	
2727 McDonald Street Fort Wayne IN 46803	nobid	1	
			:
DeHaven Chevrolet Inc.			
5200 Illinois Road Fort Wayne IN 46804	no lend		*
Hoosier Truck Equipment 5733 U.S. 30 East	no had		
Fort Wayne IN 46805	no wed		¥
IPI OK nolok	1981 GME C70064	Δ.	
General Truck Sales 5905 U.S. 30 East	\$ (	(encludes)	
Fort Wayne IN 46805	32,758.00	-	* *
Truck Engineering	5-12 10 gd Uristrac	eat	
3200 East Pontiac	7		
Fort Wayne IN 46803	4,853.95	Dody ONLY	
27277			

iation of Bid  Bid Reference No.:586-C  Closing Date11-3-80	l dump truck		
W.A. Jones & Son 307 S. Main Street Columbia City IN 46725	modeld.		
Glenbrook Dodge Coliseum Blvd. Fort Wayne, Indiana	nobid		
		-	
A Company	*		
			*

### Memorandum

To Board of Works

Date 12-1-80

From Aaron M. Gluck, Director of Purchasing

Bid Reference #586-C

COPIES TO:

Attached are copies of Bids received for One (1) Ten Cubic Yard Dump Truck for the Water Pollution Control Plant. Purchase Order #9907 has been assigned to General Truck Sales Corporation.

The Bid from General Truck Sales represents the lowest and best bid.

Please include the attached supporting information when this ordinance is submitted to City Council for Approval. Also, please insure that no confirming Purchase Order number is given to General Truck Sales Corporation until Purchasing receives written confirmation of Council Approval.

Aaron M. Gluck, Director Purchasing Department

AMG/ml

#### CITY OF FORT WAYNE FORM DPZB 5-48

DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, ind. 46802

INVITATION

Consistent, subject to the conditions on the reverse hared, are reposted on the following itse of materials, amplies, extrement or search for the department are newtoned, with delivery to destination at these lower than the contract of the department are newtoned, with delivery to destinate out there have. Consistent such literated will therefore for delivery, packing, and, accuracy your routy as

Aaron M. Gluck

DEPARTMENT OF PURCHASES

Page 1 of 9

Data October 13, 1980 11-3-80

Ref. No. 586-C

Date wanted \_

Appropriation No. \_\_

bund

Room 940, Number One Main St., Ft. Wayne, ind. 46802

REQUIRED FOR DELIVERY TO:

Department Water Pollution Control Plant or Division 2601 Dwenger Avenue

Fort Wayne IN 46803 Address ...

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE Closing

Time of Bids Monday, November 3, 1980 at 10:30 a.m.

TAINS: THE CITY IS KINNYT FROM FIDERAL EXCITE AND INDIANA STATE SALIS TAX. THE CITY'S INDIANA SALIS TAX EXEMPTION CERTIFICATE NUMBER IS NO. 1444, PRICES SHOULD NOT INCLUDE THESE TAILES, See "Insurations to Edderf" No. 19 cm inverse bereaf to deter

Quantity	Unit	Materials, Supplies, Liniyment of Services		Unit Prior	- Total
		One (1) ten cubic yard dump truck.		<b>声</b>	33,324,00
		÷	-8- :	20	
					3
,		Affirmative Action:	Attached	ų.	

Bid Bond required	, N	x8x	5%		Performance			723			
			See	insurrection item ?	No. 16 on remerse :	ilde ber	eol.				
Terme Aud %	cash	discount if p	aid within_	days 1	from delivery	and:	acceptar	ice of .	goods or	completion	of services.
	_										

In compliance with the above invitation for bids and rabbest to all conditions thereof, the understand offers and arrows. If this bid be composed within a reasonable time from class of iconing, to forming any or silf of the linear or rander such services upon which prices are quoted, in accordance with the specificances applying and as the stress or opposed send from.

Delivery of any or all of the items or completion of services indicated shall be made within Lays from receipt of order C As delivery may be a deciding factor in the award of an order, it is important that hiddens furnise the information requested above. IMPORTANT F Man Heret

<u> </u>	
The Kelent Kien of Company their	Marie
HEFNER CHEVROLET INC	<del></del>
500 E. State St.	11/3/80
Cor Fort Wayne, Indiana 40509	Animalian Marian

Typerifications for One (1) Ten Cubic Yard Dump Body to be mounted on Tander Axis Car and Chassis including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

1.	YEAR: .	1981
2.	ALTERNATOR:	65 Amp. capacity
3.	AXLES:	Front axle to have 12,000 lb. capacity with springs of equal capacity with two (2) extra leaves per spring.
4.	BATTERY:	Two (2) 6 Volt, 150 ampere hour heavy duty batteries.
5.	BRAKES:	Full air brakes with low pressure warning, state size of air compressor. 164" x 7" rear brakes with air emergency brake.  Extra air-reserve-tank.
6.	BUMPER:	The front bumper shall be a heavy duty channel.
7.	CAB BODY:	Full Cab protector, fabricated from 10 gauge steel, with at least three (3)" steel channel iron mounting supports.
8.	CONTROLS & INSTRUMENTS:	Hand choke, throttle, ammeter, fuel gauge oil pressure gauge, speedometer, light switch, headlights, high beam indicator, directional signal indicator, headlight beam control.
9.	DIRECTIONAL SIGNALS:	Two (2) double faced in the front and $\overline{\text{two}}^{\bullet}$ (2) in the rear.
10.	DUMP BODY:	Ten (10) cubic yard capacity with a #8 gauge steel floor and tailgate, also #10 gauge steel sides.  Dimensions of the dump body are:  1. 11 foot in length 2. 7 foot in width 3. 42" high sides 4. 48" high front & tailgate  Equipped with a telescopic hydraulic hoist, with a minimum capacity of 24 tons.
11.	ENGINE:	<ol> <li>550 cubic inches diesel powered</li> <li>200 B.H.P. @ 3000 R.P.M.</li> <li>Peak torque 370 @ 2000 R.P.M.</li> <li>Warranty on the engine will be 24 months or 50,000 miles, which ever comes first. This warranty will include 100% of all parts and labor.</li> </ol>
12.	OIL FILTER:	14 quart luberfiner
13.	FRAME:	100,000 psi reinforced channel (state section moulus) Cab to axle shall be 84" for dump body.

14.	DIESEL FUEL:	Two (2) 63 gallon step tanks.
15.	GRAB HANDLES:	Placed on both sides of the cab.
16.	HEATER & DEFROSTER:	Fresh air type - Heavy duty quality.
17.	HORN:	Air Horn Type.
13.	LIGHTS:	Head, Tail, Stop, Parking, Dome, Instrument Panel, Cab Marker, Hazard Switch. All Lights shall meet State and Federal Standards.
19.	LOCKS:	Installed in both doors.
20.	MIRRORS:	16" x 7" West Coast Mirror installed on both sides and an inside rearview mirror.
21.	POWER TAKE-OFF LEVER CONTROLS AND OTHER RELATED EQUIPMENT:	Provide and install power take-off with lever controls connected to hydraulic hoist for raising dump body.
22.	RADIATOR:	Heavy Duty Type.
23.	SEATS:	Two (2) Bostrom Type.
24.	SEATBELTS:	Two (2) driver and one passenger.
25.	STEERING:	Power.
26.	SUN VISORS:	Full padded for both driver and passenger side
27.	TIRES:	10:00 x 20 14 ply tires both from and rear - rear tires shall be lug tread tires.
28.	TRANSMISSION:	M.T. 653 Allison 5-speed automatic transmission with a gear ratio of 7.17-1 or to match rear axle ratio.
29.	REAR AXLE: .	Gear Ratio 8:17-1
30.	UNDERCOATING	Required.
31.	WHEELS:	Cast spoke, with safety rims and one extra rim. wheels shall have oilers on all wheels.
32.	WINDOW - REAR:	Full view.
33.	WINDSHIELD WIPERS AND WASHERS:	Dual, 2 speed wipers (air or electric powered) and dual washers.
34.	PAINT:	I.H. Cmaha Orange or equal.

Base Price:	\$
Freight:	
Total of Specifications:	
TOTAL:	
LESS TAX:	
LESS TRADE:	
LESS DISCOUNTS:	
TOTAL.	422 374 00

DELIVERY: 150 to 180 days varranty: 24 months 50,000 miles

1.	Year: 1981 Model: C70064 Color: Qual Crange offi
2.	Alternator: 65 aug.
3.	Axles: 12,000 \$ funtable with 12,000 \$ funt springs
4.	Battery: 12 V. dual 320 min reserve cap. (apprel 190 kmp-hr)
5.	Brakes: On broke system. 13 cu. ft. air compressor. Air regione N/A
6.	Bumper: Front - stiel channel type
7.	Cab Body: Cab protector as specified
8.	Controls & Instruments: As listed.
9.	Directional Signals: F&R double face
10.	Dump Body: Heil body per Apacs. 24 T. cap, hoist
11.	Engine: Detroit diesel 500 cu. in. 205 grass HP & 3000 RP
	Warranty 24 mo, - 50,000 miles
12.	Oil Filter: 2 - full flow one quart spin-on type
13.	Frame: Jul dejeth frame of hi-tensile iteel, "L'numforcement
14.	Diesel Fuel: Duel 50 gel. fuel Confe
15.	Grab Handles: Each dike of Cel
16.	Heater & Defroster: Jaclory mitalled
17.	Horn: Cir. Jul-Tone brand dual tumpet two-note
18.	Lights: All regional
19.	Locks: Each dran
20.	Mirrors: Rutsicke buch 6"X16", wiside tilt remion
21.	Power Take-Off Lever Controls and Other Related Equipment: العزل
	. /
22.	Radiator: H.D. Cooling
23.	Seats: Doutrom Viking T-Ber
24.	Seatbelts: Each sent
25.	Steering: Pavev
26.	Sun Visors: Lust .

27.	Tires: 10:00 X20 /14 ply. On-off mud found in trem.
28.	Tires: 10:00 x 20 /14 phy. On-off mud pour en ren. Transmission: Allism oute, 5 aprel MT 653 DRD
29.	Rear Axle: Suigle open 38,000#, 6.17 ratio, 38,000# opinion. Undercoating: Complete
30.	Undercoating: Omylite
31.	Wheels: Cast spoke 20 x 7.5-5° with extra. Stemo al seed
32.	Window - Rear: July with
33.	Windshield Wipers/Washers: Qual chatre w washers.  Paint: Orrepe Oringe equipment
34.	Paint: Ourobe Crange equipment
	· · · · · · · · · · · · · · · · · · ·

CITY OF FORT WAYNE DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind.
INVITATION 46802

Contations, subject to the conditions on the reverse hereal, are requested on the following that of manerials, supplies, estimated or services, for the department as mantioned, with delivery to destination as above Concations shall include all charges for delivery, passing, res. Address your reply as included all charges for delivery, passing, res.

bas seller lls lisks Aaron M. Gluck DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, Ind. 46802

REQUIRED FOR DELIVERY TO: Department

Water Pollution Control Plant or Division 2601 Dwenger Avenue Fort Wavne IN 46803

RETURN ORIGINAL TO THE CITY -- RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bida Monday, November 3, 1980 at 10:30 a.m.

TAINS: THE CITY IS EXCOPT FROM FIDERAL EXCISE AND ENGLANA STATE SALES TAIL THE CITYS ENGLANA SALES TAI MIDDOPTION CERTIFICATE NUMBER IS NO, MAN, PRICES SHOULD NOT ENGLADE THERE TAILS, See "Empresons to Richer" No. 10 on proved bared for deadle. TAX EXEMPT (Unless otherwise indicated)

Countity	Unit	Manuciala, Iuppilos, Zquirmont os Sorricos	Cars	Total America
• • • •		One (1) ten cubic yard dump truck.		-
		. <u>.</u>	•	•
-	*	Affirmation Assista		
		Affirmative Action: On File Attached		
Bid Bond :	required	NO XGX 5% Performance Bond NOX TES		

Bid Bond required	ä	x@x	5%	Perform	nce Bond	r x∰x	T T S		
Те <del>тля</del> %	cash	discount if paid						eletion of ser-	vices.
			P	ROPOSAL OR	BID			 	

In compliance with the above invitation for bids and subject to all conditions thereof, the underduced offer and arrow, if this bid by accepted within a reasonable time from case of ciosing, to forming any or sired the jerms or render man services upon which prices are opposing to forming any or sired the jerms or render man services upon which prices are opposing to the concentration with the opening and at the prices are opposing to the concentration of the prices are opposing to the concentration of the c Delivery of any or all of the items or completion of services indicated shall be made within days from receipt of order IMPORTANT S As delivery may be a deciding factor in the award of an order, it is haporness that biddens furnises the information requested above.

 Nan Zeret		
 Allen County Motors Inc		
henry miller	Fleet	Manager
2300 W Jefferson Blvd		
 Ft Wayne	. ~	11/3/8

Page 1 of 9

Date October 13, 1980

11-3-80

Ref. No. \_586-C

Appropriation No. ..

Date wanted \_

Fund

\$ YES

invertisestions for One (1) Ten Cubic Yard Dump Body to be mounted on Tander Axis Car and Chassis including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

1981

1. YEAR:

2.	ALTERNATOR:	65 Amp. capacity 78 AMP
3.	AXLES:	Front axle to have 12,000 lb. capacity with springs of equal capacity with two (2) extra leaves per spring.  YES
4.	BATTERY:	Two (2) 6 Volt, 150 ampere hour heavy duty batteries. # c# AMP Hour Each Heavy Duty 12 Volts
5.	BPAKES:	Full air brakes with low pressure warning, state size of air compressor. 164" x 7" rear brakes with air emergency brake. Extra air reserve tank. YES
6.	BUMPER:	The front bumper shall be a heavy duty channel. YES
7.	CAB BODY:	Full Cab protector, fabricated from 10 gauge steel, with at least three (3)" steel channel iron mounting supports. YES
8.	CONTROLS & INSTRUMENTS:	Hand choke, throttle, ammeter, fuel gauge oil pressure gauge, speedometer, light switch, headlights, high beam indicator, directional signal indicator, headlight beam control.
9.	DIRECTIONAL SIGNALS:	Two (2) double faced in the front and two (2) in the rear.
10.	DUMP BODY:	Ten (10) cubic yard capacity with a #8 gauge steel floor and tailgate, also #10 gauge steel sides.  Dimensions of the dump body are:  1. 11 foot in length 2. 7 foot in width 3. 42" high sides 4. 48" high front & tailgate  Equipped with a telescopic hydraulic hoist, with a minimum capacity of 24 tons.  W.A. JONES
11.	ENGINE:	<ol> <li>550 cubic inches diesel powered</li> <li>200 B.H.P. @ 3000 R.P.M.</li> <li>Peak torque 370 @ 2000 R.P.M.</li> <li>Warranty on the engine will be 24 months or 50,000 miles, which ever comes first. This warranty will include 100% of all parts and labor.</li> </ol>
12.	OIL FILTER:	14 quart luberfiner YES
13.	FRAME:	100,000 psi reinforced channel (state section moulus) Cab to axle shall be 84" for dump body.  110,000PSI; 30.0SM

14.	DIESEL FUEL:	Two (2) 63 gallon step tanks. RH 75 Gal - LH 50 Gal Diesel	STEP TANKS
15.	GRAB HANDLES:	Placed on both sides of the cab.	YES
16.	HEATER & DEFROSTER:	Fresh air type - Heavy duty quality	YES YES
17.	HORN:	Air Horn Type.	YES
13.	LIGHTS:	Head, Tail, Stop, Parking, Dome, Ir Panel, Cab Marker, Hazard Switch. shall meet State and Federal Standa	All Lights
19.	LOCKS:	Installed in both doors.	YES
20.	MIRRORS:	16" x 7" West Coast Mirror installe sides and an inside rearview mirror	ed on both
21.	POWER TAKE-OFF LEVER CONTROLS AND OTHER RELATED EQUIPMENT:	Provide and install power take-off controls connected to hydraulic hoi ing dump body. INCLU	
22.	RADIATOR:	Heavy Duty Type.	YES
23.	SEATS:	Two (2) Bostrom Type.	YES
24.	SEATBELTS:	Two (2) driver and one passenger.	YES .
25.	STEERING:	Power.	YES
26.	SUN VISORS:	Full padded for both driver and pas	senger side
27.	TIRES:	10:00 x 20 14 ply tires both from a rear tires shall be lug tread tires	
28.	TRANSMISSION:	M.T. 653 Allison 5-speed automatic with a gear ratio of 7.17-1 or to $\boldsymbol{\pi}$ axle ratio.	
29.	REAR AXLE:	Gear Ratio 8:17-1	.7.17
30.	UNDERCOATING	Required.	YES
31.	WHEELS:	Cast spoke, with safety rims and or Wheels shall have oilers on all whe	e extra rim.
32.	WINDOW - REAR:	Full view.	YES
33.	WINDSHIELD WIPERS AND WASHERS:	Dual, 2 speed wipers (air or electr	ic powered)
	•	and dual washers.	YES
34.	PAINT:	I.H. Omaha Orange or equal.	YES

Base Price:	\$
Freight:	
Total of Specifications:	
TOTAL:	\$41,943.18
LESS TAX:	\$ 3,316.18
LESS TRADE:	-0-
LESS DISCOUNTS:	\$ 950.00
TOTAL:	\$37,677.00

DELIVERY: 119 Days After Confirmation of Bid

WARRANTY: 12 Months, 12,000 Miles on Chassis, Engine Warranty

Is Specified In Item # 11 of Bid Specs.

other Body Bids Received Truck Engineering Bid \$4853.95

Ernst Truck Equipment \$4944.19 (5% Off If Paid In 10 Days)

Hoosier Truck Equipment \$5290.00

1.	Year: 1981 Model: FORD LT8000 Color: OMAHA ORANGE
2.	Alternator: 70 AMP
3.	Axles: 12,000 #
4.	Battery: THREE 12 VOLT BATTERIES 63AMP EACH
5.	Full Air; Warning; 12.0 Cubic foot water Cooled Compressor; Maxispring Brakes: Set Emergency Brake 16.5 x 7 Inch Rear Brakes
6.	Bumper: PAINTED CLOSED END CHANEL
7.	Cab Body: STD CAB PROTECTOR INTREGAL WITH DUMP BED
8. 9.	T-Throttle; Ammeter; Fuel Gauge; Oil Press; Speedometer; Controls & Instruments: Light Switch; Head Lights: High Beam Indicator; Direction Signal Indicator; Headlight Beam Control Directional Signals: 2 Fender Mounted; Turn; Side; and Marker; 2 Rear
10.	Dump Body: Furnished by Installer W.A. JONES Attached
11.	Engine: 636 Cubic Inch; 210 HP; Peak Torque Net at 2000 RPM is 420;
	24 Monthes Warranty or 50,000 Miles Which Ever Comes First 100% Parts and Labor
12.	Oil Filter: 14 Quart Luberfiner
13.	Frame: 30.0 Sm Double Channel 110,000PSI
14.	Diesel Fuel:Dual 75 Gallon Step Tanks
15.	Grab Handles: LH & RH
16.	Heater & Defroster: Fresh Air Type High Output
17.	Horn: Dual Air
18.	Lights: All Listed
L9.	Locks: YES
20.	Mirrors: 16.5 Inches by 7 Inches with Inside REarview
21.	Power Take-Off Lever Controls and Other Related Equipment: Included With Body
22.	Radiator: Heavy Duty 41 Auart Capacity
23.	Seats: BAstrum Westcoaster II Driver & Passenger
24.	Seatbelts: YES
25.	Steering: Power
26.	Sun Visors: LH & RH Padded

	•
27.	Tires:10;00 x 20 14 PLY All 10; (8) Rear Lugtread Tires
28.	Transmission: MT 653 Allison 5Speed Automatic with 7.17 Ratio - 1
29.	Rear Axle: 7.17
30.	Undercoating: Complete Inside Carb Panels & Under Cab
31.	Wheels: 8.0 Inch CAst Spoke With Safety Rims, and 1 Spare; All Wheel Oilers
32.	Window - Rear: Full View
33.	Windshield Wipers/Washers: 2 Speed Electric & Washers Both Sides .

34. Paint: OMAHA ORANGE

#### CITI OF FURT WAYNE FORM DRIB 5-48 DEPARTMENT OF PURCHASES Page 1 of 9.

Number One Main St., Ft. Wayne, Ind. 46802 INVITATION

Questions, subject to the conditions on the reverse hereof, are represent on the following list of manerals, requires, estimated or versions, for the constant as manerals, requires, estimated or versions, for the constant as above, the constant of the co

Ref. No. \_586-C Data October 13, 198

"Mail all replies and correspondence, etc. to Att. of ... Aaron M. Gluck DEPARTMENT OF PURCHASES

Date wanted \_\_\_\_\_11-3-80

REQUIRED FOR DELIVERY TO: Department

or Division

Room 940, Number One Main St., Ft. Wayne, ind.

Water Pollution Control Plant

Fund Appropriation No. .

2601 Dwenger Avenue Address \_ Fort Wayne IN 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bids Monday, November 3, 1980 at 10:30 a.m.

TAIDS: THE CITY IS NEXTLY YEOW FIDERAL LIGISE AND INDIANA STATE SALES TAI, THE CITYS INDIANA SALES TAI INDICATE NUMBER IS NO. MICH. PRICES SHOULD NOT INCLUDE THERE TAIDS. So "Instruction to Ridder" No. 10 or press bened for Goodle.

	TAX EXEMPT (Unless otherwise indicated)							
Casacity	Unit	Materials, Supplies, Equipment or Services	Usert Price					
\		One (1) ten cubic yard dump truck.		677 540 0				
		the (1) can can't yard damp cruck.		\$37,512;9				
			•					
		,						
				-				
		Affirmative Action: On File Attached						
Bid Bond	beriuper	NO XXX 5% Performance Bond XXX C						

Bid Bond require	1 00	xax 5%	Performance	Bond	XXX	728	 	
			instruction item No. 18 on reverse	side ber	wol.	-		

\_\_days from delivery and acceptance of goods or completion of services. Terms\_\_\_\_\_% cash discount if paid within\_

PROPOSAL OR BID

San Hartt

Is compliance with the above invitation for bids and subject to all conditions thereof, the underdayed others and agrees, if this bid he accessed within a reasonable time from these of sisting, to framing any or all of the items or reader such aurrises upon which prices are quoted, in accordance with the specifications applying and as the up-Delivery of any or all of the items or completion of services indicated shall be made within 90days from receipt of order As delivery may be a deciding factor in the award of an order, it is important that hidden furnish the information requested above. IMPORTANT F

'	International Harvester	
	Per De Children of Company	Salesman
	333 So. Clinton St.	
	Ft. Wayne, Indiana	10/31/80

Then firstions for One (1) Ten Cubic Yard Dump Body to be mounted on Tander Axle Carlend Indiana including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

1.	YEAR:	1981	
	Rear Axle	34,000 lb tandem \$_28,518.00 862.00	
2.	ALTERNATOR:	65 Amp. capacity 96.00	
3.	AXLES:	Front axle to have 12,000 lb. capacity with springs of equal capacity with two (2) extra leaves, per spring.  1,337.00	
4.	BATTERY:	Two (2) 6 Volt, 150 ampere hour heavy duty batteries.	
5.	SRAKES:	Full air brakes with low pressure warning, state size of air compressor. 16% x 7" rear brakes with air emergency brake.  Extra air reserve tank. 2,487.00	
6.	BUMPER:	The front bumper shall be a heavy duty channel.	
7.	CAB BODY:	Full Cab protector, fabricated from 10 gauge steel, with at least three (3)" steel channel iron mounting supports.	
8.	CONTROLS & INSTRUMENTS:	Hand choke, throttle, ammeter, fuel gauge oil pressure gauge, speedometer, light switch, headlights, high beam indicator, directional signal indicator, headlight beam control.	- ,
9.	DIRECTIONAL SIGNALS:	Two (2) double faced in the front and two (2) in the rear.	
LO.	DUMP BODY:	Ten (10) cubic yard capacity with a #8 gauge steel floor and tailgate, also #10 gauge steel sides. Dimensions of the dump body are:  1. 11 foot in length	
		2. 7 foot in width 3. 42" high sides 4. 48" high front a tailgate Equipped with a telescopic hydraulic hoist, with a minimum capacity of 24 tons. 4.696.98	
.1.	ENGINE:	<ol> <li>550 cubic inches diesel powered</li> <li>200 B.H.P. @ 3000 R.P.M.</li> <li>Peak torque 370 @ 2000 R.P.M.</li> <li>Warranty on the engine will be 24 months or 50,000 miles, which ever comes first. This warranty will include 100% of all parts and labor.</li> </ol>	
2.	OIL FILTER:	14 quart luberfiner 201,00	
3.	FRAME:	100,000 psi reinforced channel (state section moulus) Cab to axle shall be 84" for dump body.	

	•	
.14.	DIESEL FUEL:	Two (2) 63 gallon step tanks. 172.00
15.	GRAB HANDLES:	Placed on both sides of the cab. 22.00
16.	HEATER & DEFROSTER:	Fresh air type - Heavy duty quality.
17.	HORN:	Air Horn Type. 92,00
18.	LIGHTS:	Head, Tail, Stop, Parking, Dome, Instrument Panel, Cab Marker, Hazard Switch. All Lights shall meet State and Federal Standards.
19.	LOCKS:	Installed in both doors.
20.	MIRRORS:	16" x 7" West Coast Mirror installed on both sides and an inside rearview mirror. 20.00
21.	POWER TAKE-OFF LEVER CONTROLS AND OTHER RELATED EQUIPMENT:	Provide and install power take-off with lever controls connected to hydraulic hoist for raising dump body.
22.	RADIATOR:	Heavy Duty Type.
23.	SEATS:	Two (2) Bostrom Type. 350.00
24.	SEATBELTS:	Two (2) driver and one passenger.
25.	STEERING:	Power. WI Fot agh
26.	SUN VISORS:	Full padded for both driver and passenger side
27.	TIRES:	10:00 x 20 14 ply tires both front and rear - rear tires shall be lug tread tires. 1,860.00
28.	TRANSMISSION:	M.T. 653 Allison 5-speed automatic transmission with a gear ratio of 7.17-1 or to match rear axle ratio.  4,324.00
29.	REAR AXLE:	Gear Ratio 8:17-1
30.	UNDERCOATING	Required. 175.00
31.	WHEELS:	Cast spoke, with safety rims and one extra rim. Wheels shall have oilers on all wheels.
32.	WINDOW - REAR:	Full view. 158.50
33.	WINDSHIELD WIPERS AND WASHERS:	Dual, 2 speed wipers (air or electric powered) and dual washers.
34.	PAINT:	I.H. Omaha Orange or equal.

Base Price:	\$ 28,518.00
Freight:	259.00
Total of Specifications:	17,208.48
TOTAL:	45985.48
LESS TAX:	
LESS TRADE:	
LESS DISCOUNTS:	8,472,50
TOTAL:	\$ 37 512 08

DELIVERY: XXXX 90to 120 days from receipt of order

WARRANTY: One year or 12,000 miles. 12 months or 50,000 miles on engine

OPTIONS: Add for DT-466 cubicn inch IH diesel engine, 210 H.P. \$1472.00 Add for Heil Body & hoist to meet specs \$594.00 Add for Aristocrat Body & hoist ot meet specs \$157.00

1.	Year: 1981 Model: F-1954 Color: Omaha Orange
2.	Alternator: 65 Amm Leece Neville
3.	Axles: 12,000 lb front axle & extra springs, & 34,000 lb tandem rear axle
4.	Battery: 2-12 Volt 104 Amp Nour batteries
5.	Brakes: Full air brakes, 16½ x 7 rear brakes, piggy-back emergency
6.	Bumper: H.D. front bimper
7.	Cab Body: As specified
8.	Controls & Instruments: As specified
9.	Directional Signals: " "
10.	Dump Body: 10 Yard, 11' x 7', 42" high & 48" ends, Perfection Body
11.	Engine: 9.0 Liter, 550 cubic inch engine, 180 H.P. at 2800 RPM. Warranty 12 month
	or 50,000 miles
12.	Oil Filter: Luberfiner
13.	Frame: L reinforcemnet, 110,000 PSI, 18.3 Section Modelus
14.	Diesel Fuel: One 51 Gallon fuel tank
15.	Grab Handles: Both sides of cab
16.	Heater & Defroster: H.D. fresh air type
17.	Horn: dual air horn
18.	Lights: As specified
19.	Locks: Both doors
20.	Mirrors: W.C. type & inside mirror
21.	Power Take-Off Lever Controls and Other Related Equipment:
	As specified
22.	Radiator: H.D. type
23.	Seats: One Bostrom drivers side and one passenger side standard seat
24.	Seatbelts: Both seats
25.	Steering: Power steering
26.	Sun Visors: Dual visors

27.	Tires: 1000 x 20 14 ply tires front & super all traction type rear, oilers
28.	Transmission: MT-653 Allison automatic transmission
29.	Rear Axle: 34,000 lb tandem rear axle with *.17-1 gear ratio
30.	Undercoating:
31.	Wheels: K Cast spoke wheels, one extra rim. oilers on all wheels
32.	Window - Rear: ZYes
33.	Windshield Wipers/Washers: 2 Speed electric with washers
34.	Paint: Omeha orenge

FORM	2622	1-40

## CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES
Number One Main St., Ft. Wayne, ind. 46802
INVITATION

Considers, milest to the modifies on the Persys bread, are reposted on the following lits of manufacts amplies applied extraors or newton, for the department as mantioned, with delivery to destinate the contract of the con

"Mail all Profites and Aaron M. Gluck DEPARTMENT OF PURCHASES

ROOm 940, Number One Main St., Ft. Wayne, ind. 46802

Department or Division Water Pollution Control Plant 2601 Dwenger Avenue

Address Fort Wavne IN 46803

RETURN ORIGINAL TO THE CITY — RETAIN DUPLICATE COPY FOR YOUR FILE Closing
Time of Bids ... Monday, November 3, 1980 at 10:30 a.m.

TAINS ITS CIT'S SITEOF FROM FEDERAL EXCES AND ENDANA STATE SALES TAX THE CIT'S ENDANA SALES TAX EXECUTION CERTIFICATE NUMBER IS NO, 1464 FRICES SHOULD NOT FOOLING THESE TAINS Say "Engravious to Richer" No, 10 on Present bered for decall

Canadity	Unit	TAX EXEMPT (Unless otherwise indicated)
Cancelle	CHR	Manerials, Supplies, Lenigment or Services Cost Treat Prices Assessed
		One (1) ten cubic yard dump truck.
1 0	ach ach ach	Model HPT-53-100 Heil Telescopic Hoist 1967.40 1967.4 Model S-12, 11 x 7, 10 yd. AKISIOCRAT Body 2735.80 2735.8 2735.8 Full Cab Protector, 10 gauge material 150.75 150.7 ALL EQUIPMENT INSTALLED
·		Affirmative Action:On FileAttached 4853.95

Bid Bond required	ũ	xgx	5%		Performance	Bond	X∰X		
Terms%	cash	discount if pa	id within	daya f	rom deliver;	and:	acceptance	of :	goods or completion of services.

In compliance with the shows invitations for this and embert to all conditions through the understand of ourse and agrees, if this bid be accepted within a reasonable time from case of ciousing, to turning any or shird the items or render road services upon what a process are quoted, in accordance with the specifications appring and as the process or opposed and there are all times.

Delivery of any or all of the items or completion of services indicated shall be made within days from receipt of order TEMPORTANT And deliver may be deliver from it be seved of as order, it is known that the containing the seven of the containing the containing the seven of the containing the c

THE TRU	CK ENG	INEERIN	G COMPAN	Y. INC.
- Jenry	D. d.	inchel	GENE	RAL MGR.
320	D E PO:	TIAC S	TREET	
		ND 46		10-31-80

Page 1 of 9.

11-3-80

Data October 13, 1980

Ref. No. 586-C

Appropriation No. \_

Date wanted

Fund

interinsations for One (1) Ten Cubic Yard Dump Body to be mounted on Tander Axie Car and Intessis including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

1.	IDAR:	1981	\$
2.	ALTERNATOR:	65 Amp. capacity	
3.	AXLES:	Front axle to have 12,000 lb. capacity springs of equal capacity with two (2) leaves per spring.	with extra
4.	BATTERY:	Two (2) 6 Volt, 150 ampere hour heavy batteries.	duty
5.	SRAKES:	Full air brakes with low pressure warn state size of air compressor. 16h" x rear brakes with air emergency brake. Extra air reserve tank.	
6.	BUMPER:	The front bumper shall be a heavy duty	channel.
7.	CAB BODY:	Full Cab protector, fabricated from 10 steel, with at least three (3)" steel iron mounting supports.	gauge channel 150.75
٤.	CONTROLS & INSTRUMENTS:	Hand choke, throttle, ammeter, fuel gar oil pressure gauge, speedometer, light headlights, high beam indicator, direc- signal indicator, headlight beam contro	switch, tional
9.	DIRECTIONAL SIGNALS:	Two (2) double faced in the front and in the rear.	two (2)
10.	DUMP BODY:	Ten (10) cubic yard capacity with a #8 floor and tailgate, also #10 gauge stee Dimensions of the dump body are:  1. Il foot in length	
		<ol> <li>7 foot in width</li> <li>42" high sides</li> <li>4 48" high front &amp; tailgate</li> <li>Equipped with a telescopic hydraulic ha minimum capacity of 24 tons.</li> </ol>	
11.	ENGINE:	<ol> <li>550 cubic inches diesel powered</li> <li>200 B.H.P. @ 3000 R.P.M.</li> <li>Peak torque 370 @ 2000 R.P.M.</li> <li>Warranty on the engine will be 24 m or 50,000 miles, which ever comes f This warranty will include 100% of parts and labor.</li> </ol>	first.
12.	OIL FILTER:	14 quart luberfiner	
13.	FRAME:	100,000 psi reinforced channel (state s moulus) Cab to axle shall be 84" for d	
* _	INCLUDES MHD FLAPS, LIGHT	TS, REFLECTORS & INSTALLATION OF EG	QUIPMENT

14	DIESEL FUEL:	Two (2) 63 gallon step tanks.	
15.	GRAB HANDLES:	Placed on both sides of the cab.	
16.	HEATER & DEFROSTER:	Fresh air type - Heavy duty quality.	
17.	HORN:	Air Horn Type.	
13.	LIGHTS:	Head, Tail, Stop, Parking, Dome, Instrument Panel, Cab Marker, Hazard Switch. All Lights shall meet State and Federal Standards.	;
19.	LOCKS:	Installed in both doors.	·
20.	MIRRORS:	16" x 7" West Coast Mirror installed on both sides and an inside rearview mirror.	
21.	POWER TAKE-OFF LEVER CONTROLS AND OTHER RELATED EQUIPMENT:	Provide and install power take-off with lever controls connected to hydraulic hoist for rai ing dump body. 3:44	is-
22.	RADIATOR:	Heavy Duty Type.	
23.	SEATS:	Two (2) Bostrom Type.	
24.	SEATBELTS:	Two (2) driver and one passenger.	•
25.	STEERING:	Power.	
26.	SUN VISORS:	Full padded for both driver and passenger sid	le
27.	TIRES:	10:00 x 20 14 ply tires both from and rear - rear tires shall be lug tread tires.	
28.	TRANSMISSION:	M.T. 653 Allison 5-speed automatic transmiss: with a gear ratio of 7.17-1 or to match rear axle ratio.	ion
29.	REAR AXLE:	Gear Ratio 8:17-1	
30.	UNDERCOATING	Required. 40.	.00
31.	WHEELS:	Cast spoke, with safety rims and one extra righted wheels shall have oilers on all wheels.	im
32.	WINDOW - REAR:	Full view.	
33.	WINDSHIELD WIPERS AND WASHERS:	Dual, 2 speed wipers (air or electric powered and dual washers.	d)
34.	PAINT:	I.H. Omaha Orange or equal. 150.	00

Base Price:	\$_4,853.95	
Freight:		
Total of		
Specifications:	4,853.95	_
LESS TAX:		_
		<u>-</u>
LESS TRADE:		
LESS DISCOUNTS:		
TOTAL:	4,853.95	

DELIVERY: 30 DAYS AFTER RECEIPT OF CHASSIS IN OUR YARD

WARRANTY: 1 YEAR ON BODY - 90 DAYS ON HOIST

1.	Year:	Model:		Col	or: _			-
2.	Alternator:							
3.	Axles:							
4.	Battery:							
5.	Brakes:							
6.	Bumper:							
7.	Cab Body:							
8.	Controls & Instr	uments:						
9.	Directional Sign							
10.	Dump Body: MODEL							
11.	Engine:							
12.	Oil Filter:							
13.	Frame:							
14.	Diesel Fuel:					•		
15.	Grab Handles:							
16.	Heater & Defrost							
17.	Horn:							
18.	Lights:							
19.	Locks:							
20.	Mirrors:						,	
21.	Power Take-Off L							
	MODEL PT-26DG6P	Y-03-G Pressu	re Lube-	Lever Cont	rol			
22.	Radiator:							
23.	Seats:							
24.	Seatbelts:							
25.	Steering:							
26.	Sun Vicore:							

27.	Tires:
	Transmission:
	Rear Axle:
	Undercoating:
	Wheels:
	Window - Rear:
	Windshield Wipers/Washers:

FORM DPZS 5-68

Department

## CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind. 46802

INVITATION

Contations, subject to the en ditions on the reverse hereof, are requested on the following list of makerials, supplies, equipment or pervious, for the department as mentioned, with delivery to destination as above below. Quotations shall include all charges for delivery, peaking, e.g. Address your reply as

bns sellow ills lisks Aaron M. Gluck DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, Ind. 46802 REQUIRED FOR DELIVERY TO: Water Pollution Control Plant.

or Division 2601 Dwenger Avenue Fort Wayne IN 46803

RETURN ORIGINAL TO THE CITY-RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bids Monday, November 3, 1980 at 10:30 a.m.

TAISSI THE CITT IS KISAPT FROM FIDERAL EXCESS AND INDIANA STATE SALES TAX. THE CITTS INDIANA BALES TAX EXCEPTION

	*********	TAX EXEMPT (Unless otherwise indicated)		
Casatity	Unit	Materials, Supplies, Equipment or Services	Unit Price	Total America
 1	GMC	One (1) ten cubic yard dump truck.	32467	32467.
		Freight	291	291.
		Total		32758.
		$\gamma$		
-				
\ \				
	Ţ	Affirmative Action: x On File Attached	,	

				The same Personal	The second secon
Bid Bond required	~恐~_	5%	Performance Bond		

% cash discount if paid within\_ \_\_days from delivery and acceptance of goods or completion of services. PROPOSAL OR BID

In compliance with the above invitation for bids and rather to all conditions thereof, the understand offers and agrees, if this bid be accepted within a reasonable from date of cioning, to furnish any or all'of the lacess or render such services upon which prices are quoted, in accordance with the specifications applying and as the see opposite such limits.

Delivery of any or all of the items or completion of services indicated shall be made within 90 days from receipt of order 50 As delivity may be a desiding faster in the award of an order, it is important that biddens furnish the information reported above.

May Here: IMPORTANT F

		l Truck					
- OX	clark	100	lar	This	lice 1	Peselin	1
		05 U.S.	A				
	Ft.	Wayne,	IN			10-31	-8

Page 1 of 9.

Data October 13, 198 11-3-80

Ref. No. \_586-C

Appropriation No.

Date wanted

Fund

and	Chassis including all standar	uble Yard Dump Body to be mounted on Tandam Axle Cal rd equipment as listed in the manufacturer's literature following specifications listed herein:
1.	YEAR: .	1981 \$ 14524.00
2.	ALTERNATOR:	65 Amp. capacity 84.00
3.	AXLES:	Front axle to have 12,000 lb. capacity with springs of equal capacity with two (2) extra leaves per spring.
4.	BATTERY:	Two (2) 6 Volt, 150 ampere hour heavy duty hatteries.
5.	BRAKES:	Full air brakes with low pressure warning, state size of air compressor. 164" x 7" rear brakes with air emergency brake.  Extra air reserve tank. 1926.00
6.	BUMPER:	The front bumper shall be a heavy duty channel.
7.	CAB BODY:	Full Cab protector, fabricated from 10 gauge steel, with at least three (3)" steel channel iron mounting supports.
.3	CONTROLS & INSTRUMENTS:	Hand choke, throttle, ammeter, fuel gauge oil pressure gauge, speedometer, light switch, headlights, high beam indicator, directional signal indicator, headlight beam control.
9.	DIRECTIONAL SIGNALS:	Two (2) double faced in the front and two (2) in the rear.
10.	DUMP BODY:	Ten (10) cubic yard capacity with a #8 gauge steel floor and tailgate, also #10 gauge steel sides.  Dimensions of the dump body are:  1. 11 foot in length 2. 7 foot in width 3. 42" high sides
-	•	4. 40" high front & tailgate Equipped with a telescopic hydraulic hoist, with a minimum capacity of 24 tons.  4945.00
11.	ENGINE:	<ol> <li>550 cubic inches diesel powered</li> <li>200 B.H.P. @ 3000 R.P.M.</li> <li>Peak torque 370 @ 2000 R.P.M.</li> <li>Warranty on the engine will be 24 months or 50,000 miles, which ever comes first. This warranty will include 100% of all parts and labor.</li> </ol>
12.	OIL FILTER:	14 quart luberfiner 178.00
13.	FRAME:	100,000 psi reinforced channel (state section moulus) Cab to axle shall be 84" for dump body.

		, mbc ,	0.0
14.	DIESEL FUEL:	Two (2) 63 gallon step tanks.	310.00
15.	GRAB HANDLES:	Placed on both sides of the cab.	15.00
16.	HEATER & DEFROSTER:	Fresh air type - Heavy duty quality.	-0-
17.	HORN:	Air Horn Type.	73.00
18.	LIGHTS:	Head, Tail, Stop, Parking, Dome, Instrum Panel, Cab Marker, Hazard Switch. All L shall meet State and Federal Standards.	
19.	LOCKS:	Installed in both doors.	-0-
20.	MIRRORS:	16" x 7" West Coast Mirror installed on sides and an inside rearview mirror.	
21.	POWER TAKE-OFF LEVER CONTROLS AND OTHER RELATED EQUIPMENT:	Provide and install power take-off with controls connected to hydraulic hoist foing dump body.	lever
22.	RADIATOR:	Heavy Duty Type.	-0-
23.	SEATS:	Two (2) Bostrom Type.	97.00
24.	SEATBELTS:	Two (2) driver and one passenger.	-0-
25.	STEERING:	Power.	-0
26.	SUN VISORS:	Full padded for both driver and passenge	r side
27.	TIRES:	10:00 x 20 14 ply tires both from and re- rear tires shall be lug tread tires.	-0- ar - 1578.00
28.	TRANSMISSION:	M.T. 653 Allison 5-speed automatic transmith a gear ratio of 7.17-1 or to match axle ratio.	
29.	REAR AXLE: .	Gear Ratio 8:17-1	-0-
30.	UNDERCOATING	Required.	42.00
31.	WHEELS:	Cast spoke, with safety rims and one ext. Wheels shall have oilers on all wheels.	*,
32.	WINDOW - REAR:	Full view.	31.00
33.	WINDSHIELD WIPERS AND WASHERS:	Dual, 2 speed wipers (air or electric por	
	i i	and dual washers.	-0-
34.	PAINT:	I.H. Omaha Orange or equal.	-0-

	·
Base Price:	\$ 14,524.00
Freight:	291.00
Total of Specifications:	17,943.00
TOTAL:	32,758.00
LESS TAX:	-0-
LESS TRADE:	-0-
LESS DISCOUNTS:	*
TOTAL:	\$32,758.00

DELIVERY:	90 Days Es	stimated	
WARRANTY:	See Attach	ment	

 $<sup>\</sup>mbox{\ensuremath{\,^\star}}$  A cash discount of \$247.00 will be allowed if unit paid for within 10 days of delivery date.

1.	Year: 1981 Model: GMC C7D064 Color: Omaha Orange
2.	Alternator: Delco 2781 Type 200, 65 Amp
3.	Axles: Front, 12000# with 14000# Springs
4.	Battery: Two (2) Delco 12 Volt Freedom II F20, 162 Amps
5.	Brakes: Per Specs., Midland Ross 13 CFM Air Compressor
6.	Bumper: Per Specs.
7.	Cab Body: Per Quote Furnished direct by Ernst Truck Equipment dated 10-
8.	Controls & Instruments: Per Specs., No Hand Choke
9.	Directional Signals: Double Face Front Only- Single Rear
10.	Dump Body: Per Ernst Quote
11.	Engine: (1) 500 Cu.In. Detroit Diesel (2) 205 H.P. @ 3000 RPM
	(3) Peak Torque 431 @ 1700 RPM (4) Per Specs.
12.	Oil Filter: Luberfiner Model 500C
13.	Frame: Hi-Tensile with "L" Reinforcement. 70,000 PSI, 20.38 SM, 84" CA
14.	Diesel Fuel: Two (2) 50 Gallon Step Tanks
15.	Grab Handles: Per Specs.
16.	Heater & Defroster: Per Specs.
17.	Horn: Per Specs.
18.	Lights: Per Specs.
19.	Locks: Per Specs.
20.	Mirrors: _6"x16" West Coast with Inside Rearview
21.	Power Take-Off Lever Controls and Other Related Equipment:
	Per Ernst Quote
22.	Radiator: Per Specs.
23.	Seats:Two (2) Hi-Back Bucket
24.	Seatbelts: _ · Per Specs.
25.	Steering: Hydraulic Power
26.	Sun Visors: Per Specs.

### Memorandum

To Aaron Gluck	Date 11/25/80
From Neil Wisler	
Subject Dump Truck Replacement	

COPIES TO: Phil Boller

I have reviewed the bids that were submitted on November 3rd, 1980, Bid Reference No. 586-C. It appears that the low bidder, General Truck Sales, has submitted a vehicle that will meet our needs, and thus I am recommending acceptance.

Neil H. Wisler, Superintendent Water Pollution Control Plant

NHW/gb

FORM DP-3 APPROVED BY THE STATE BCARD OF ACCOUNTS FOR THE CITY OF FORT WAYNE 1985.

ORDER.

UNLESS OTHERWISE NOICATEO THE PRICES SHOWN INCLUDE ALL CHARGES FOR DELIV-ERY, PACKING, ETC., NECESSARY TO COM-PLETE DELIVERY TO DESTINATION SPECI-FIED.

UNLESS OTHERWISE INDICATED THE PRICES SHOWN OD NOT INCLUDE TAXES OF ANY KIND. EXEMPTION BLANKS WILL BE FURNISHED WHEN NECESSARY.

IND. SALES TAX EXEMP. CERTIF. NO. 34508

IF THIS ORDER ODES NOT AGREE WITH YOUR OUDTATION KINDLY RETURN IT WITN AN EXPLANATION.

# CITY OF FOR

DEPARTMENT OF PURCILASES

- CITY U	TILITIES CORRESPOND	S DENCE, CL	FORT WAYNE, AIM VOUCHERS ETC.	4 470			-1-80	
	Water P	olluti	on Cont. Pl		31	REF. NO. CI	TY UTIL:	ITIES
	2601 Dw	enger	Avenue					
			46803			ALL INVOICES, BI		
						TICKETS, PACKAG	ES AND CORR	ESPONDENCE.
	General	Truck	Sales Corp			THIS PURCH	ASE DRDER ISS	UED BY:
	5905 U.	S. 30	East			OEPT. Purch	asino	
	Fort Wa	yne Il	46805			DEPT. Z GI OII	uoing_	
L			0963-01					
DELIVER TO:-						`		~~~
DEPARTMENT OR DIVISION						WANTED ASAP		
AODRESS			PAIO WITHIN	DAYS FROM DELI		APPROPRIATION AND FUND NUMBER S	330	
ACCEPTANCE OF GO	QUANTITY	I	ERVICES. (DEDUCTION	FOR DISCOUNT SHOWN	BELOW)		,	
	OROERED	UNIT	N	ATERIALS, SUPPL	IES OR SERVICE	ES	UNIT PRICE	THUOMA
			TAX	EXEMPT CONLESS	OTHERWISE INDI	CATEO)		
COMPLIANCE WITH THE DELIVERY OATE REQUESTED WILL A- VOIO "FOLLOW UP" CORRESPONDENCE,	1	EA	Ten cubic y	ard dump	truck			32,467
NOTE								
4								
READ								
INSTRUCTIONS ON THE BACK OF THIS								
ORDER			PER BID REI	ERENCE #58	36-C			
THE CONTRACTOR OR VENDOR, BY ACCEPT-ING THIS ORDER, A-GREES TO THE GENERAL CONDITIONS AND TERMS OF AGREEMENT ON THE BACK OF THIS								

SUBJECT TO COUNCILMANIC APPROVAL

Send all Invoices to General Accounting 4th Floor, City-County Bldg. 1 E. Main St.

PURCHASE ORDER NUMBER

0007

Fort Wayne, Indiana 46802

Show P. O. Number on Packing Slip and Invoice. I HEREBY CERTIFY UPON MY DWN PERSONAL KNOWLEGGE THAT THIS GROER

I HEREBY CERTIFY THAT THE COST OF THE ABOVE PURCHASE IS FULLY COV-EREO BY UNENCUMBEREO BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFOR HAS BEEN DULY AUTHORIZED AND APPROPRIATED.

AMG/m1/76

IS AUTHORIZED BY A PROPERLY EXECUTED AND APPROVED REQUISITION DN FILE IN THIS OFFICE.

City Controller Director of Purchases Per Per

TILE OF ORDIN/ ICE CITY UTILITIES PURCHASE ORDER NO. 9907 - GENERAL TRUCK SALES CORP \$32,467.
DEPARTMENT REQUESTING ORDINANCE BOARD OF PUBLIC WORKS 8-80-12-16
SYNOPSIS OF ORDINANCE CITY UTILITIES PURCHASE ORDER NO. 9907, GENERAL TRUCK SALES CORP.
FOR ONE TEN CUBIC YARD DUMP TRUCK IN AMOUNT OF \$32,467.00 FOR USE BY THE WATER POLLUTION
CONTROL PLANT.
(PURCHASE ORDER AND MEMORANDUM ATTACHED)
EFFECT OF PASSAGE REPLACEMENT OF DUMP TRUCK IN CONTROL OF WPC PLANT, WHICH IS IN DISREPAIR
THOUSED THOUSED TO BE INCOME IN CONTROL OF WPC PLANT, WHICH IS IN DISREPAIR
Thomas are a second as a secon
EFFECT OF NON-PASSAGE FUTURE EXPENSE MAINTAINING PRESENT DUMP TRUCK IN ITS EXISTING CONDITION
ONEY INVOLVED (DIRECT COSTS, EXPENDITURES, SAVINGS) \$32,467.00 FROM CITY UTILITIES
ASSIGNED TO COMMITTEE Lity Utalilies
PP -